

Potential Health Effects from HVP Products Exposure

Skin	Irritation of skin may occur and progress to dermatitis. One component, benzene, may be absorbed through the skin
Eyes	Irritation of eyes may occur.
Breathing	Breathing mists or vapours may cause accumulation in the lungs and/or central nervous system depression, dizziness, headaches, giddiness, drowsiness, fatigue, nausea, unconsciousness or death.
Swallowing	Swallowing mists or vapours may cause accumulation in the lungs and/or central nervous system depression, dizziness, headaches, giddiness, drowsiness, fatigue, nausea, unconsciousness or death.
Long-term Hazards	Defatting and drying of skin may occur and cause dermatitis. Inhalation of one component, benzene, has been associated with blood disorders including anemia and leukemia. Repeated exposure to high vapour concentrations may cause eye and respiratory irritation, giddiness, staggered gait, nausea, abdominal pain, loss of appetite, liver damage, kidney damage, and damage to the bone marrow including cancer.

Response Considerations

Health, Safety and Environment

Plains adheres to the highest health, safety and environmental standards throughout our organization. We provide a workplace that protects the health and safety of our employees, contractors and the communities surrounding our facilities.

Plains' operations are subject to stringent federal, provincial and local laws and regulations governing the discharge of materials into the environment or otherwise related to protecting the environment.

Our Health, Safety and Environment (HSE) Management Programs are at the core of our operations. These programs include management commitment and leadership, employee training and awareness, inspections and audits, performance and achievement recognition, emergency preparedness and response, communications and continuous improvement.

Notification

If you are contacted by Plains Midstream Canada to advise you of an emergency situation, the caller will:
Identify themselves by name.

- Announce that they are a Plains Midstream Canada representative.
- Describe the problem and what is being done.
- Give you instructions to protect your safety (shelter / evacuation).
- Verify the information you have provided.
- Address any concerns which you may have.
- Provide a telephone number which you can call to get additional information.

Emergency Contacts

If you suspect a problem at a Plains facility in your area, please call Plains Midstream Canada's 24-hour Emergency Response number:

1-866-875-2554

emergency.management@plainsmidstream.com

In the event of an emergency, Plains will be working with the AER and local authorities.

Alberta Energy Regulator (AER)

AER 24-hour Emergency Line 1-800-222-6514

Local Authorities

Clearwater County 403-845-4444
 County of Wetaskiwin No. 10 780-352-3321
 Brazeau County
 (Breton, Cynthia, Violet Grove) 780-542-7777
 City of Edmonton 780-944-6420
 311 (Within city)
 Lacombe County 403-782-6601
 Lac Ste Anne County 780-785-3411
 Leduc County 780-955-3555
 Mountain View County 403-335-3311
 Ponoka County 403-783-3333
 Red Deer County 403-350-2150
 Rocky View County 403-230-1401
 Strathcona County 780-467-5216
 Town of Calmar 780-985-3604
 Town of Cochrane 403-851-2500
 Town of Devon 780-987-8300
 Town of Drayton Valley 780-514-2200
 Town of Rocky Mountain House 403-845-2866
 Village of Breton 780-696-3636
 Village of Cremona 403-637-3762
 Village of Thorsby 780-789-3935
 Woodlands County 780-778-8400
 Yellowhead County 780-723-4800

Ambulance/Police/Fire 9-1-1

Pipeline Safety


Keeping Pipelines Safe and Reliable



Public Awareness Information for landowners and area residents related to Plains Midstream Canada's Co-Ed pipeline.

- Emergency notification
- Public protection measures
- Pipeline safety: Call Utility Safety Partners (Click or Call Before You Dig)

FEBRUARY 2023



**PLAINS
MIDSTREAM**
C A N A D A

Notification

Plains Midstream Canada ULC (Plains) is the operator of the Co-Ed pipeline system. These pipelines are licensed as High Vapour Pressure (HVP) and forms part of Plains' Alberta pipeline network. The maximum Emergency Planning Zone (EPZ) is 1.1 km for the Co-Ed pipeline system. Refer to the map on the back of this brochure.

High Vapour Pressure (HVP) Products

HVP products include propane, butane, pentane, and Natural Gas Liquids (NGLs). At atmospheric pressure, HVP products are gases. Under pressure, HVP products exist in a liquid state. In humid air, a leak of an HVP product may form a visible white cloud of cold vapour considerably heavier than air. Under extreme conditions, pools of super-cooled liquid may briefly form. When HVP products vapourize, they expand (70 to 300 times) and can form a plume, which may drift downwind from the source under moderate wind speed conditions. Under higher wind speed conditions, the vapour would dissipate faster.

Main Hazards:

- Potential explosion hazards from delaying ignition of drifting vapour cloud.
- Fire hazard from burning gas and radiant heat. Critical hazard because of oxygen deficiency as expanding gas cloud or plume displaces air at ground level.

If You Suspect a Problem

Please call Plains Midstream Canada's 24-hour emergency number if you suspect a problem (1-866-875-2554).

While the chance of an uncontrolled spill or problem is remote, the Plains Emergency Response Plan (ERP) for this area is in place to ensure your safety. If a leak should occur, emergency crews will take immediate steps to minimize the risk to the public and environment.

Additional emergency response personnel will be notified and dispatched to the area to safely manage the emergency.

Public Protection Measures Evacuation, Shelter & Ignition Procedures

Evacuation Procedures

If it is necessary to evacuate, you will be contacted by telephone immediately. If there is no answer to our calls, we will proceed to your residence to inform you of the situation. The following steps should be taken if "Evacuation" procedures have been implemented:

- Gather all residents and bring any medicines required.
- Lock all windows and doors.
- Turn down thermostat and shut off any air exchange fans to outside.
- Drive safely on the route provided and proceed directly to the evacuation centre and check in with the representative.
- Wait for further instruction.

Shelter-in-Place Procedures

If you are advised to stay sheltered, do not leave your house or attempt to start any vehicles until a Plains representative advises you that it is safe to do so. The following steps should be taken if "Shelter-In-Place" procedures have been implemented:


- Immediately gather everyone indoors and stay there.
- Tightly close and lock all windows and outside doors, if convenient, tape any gaps around exterior door frames.
- Extinguish indoor wood-burning fires and close flue dampers if possible.
- Turn off appliances or equipment that either blows out or uses indoor air, such as:
 - Furnaces, built-in vacuum systems, gas stoves, kitchen fans, clothes dryers, air conditioning, bathroom fans, gas fireplaces, ventilators.
- Turn off appliances or equipment that suck in outdoor air, such as:
 - Heating, ventilation, and air conditioning (HVAC) systems
 - Fans for heat recovery ventilators or energy recovery ventilators
 - Turn down furnace thermostats to the minimum setting, turn off air conditioners
- Leave all inside doors open.
- Wait in an interior room upstairs for further instruction.
- Avoid using the telephone, except for emergencies, so that you can be contacted by Plains emergency response personnel.
- Call Plains if you are experiencing symptoms, smelling odours or have contacted government agencies (so the response can be coordinated).
- Stay tuned to local radio and television for possible information updates.
- Even if you see people outside, do not leave until told to do so.
- If you are unable to follow these instructions, please notify Plains emergency response personnel.

After the hazardous substance has passed through the area you will receive an "all-clear" message from Plains emergency response personnel. You may also receive, if required, instructions to ventilate your building by:

- Opening all windows and doors, turning on fans, turning up thermostats

During this time the air outside may be fresher and you may choose to leave your building while ventilating. Once the building is completely ventilated, return all equipment to normal settings and operation.





CO-ED PIPELINE SYSTEM

CO-ED / RANGELAND ERP

Draft Date: April 09, 2021 GLG

Scale: 1:1,100,000

Map: 12180

Revision Date: April 25, 2023 GLG

UTM ZONE 11

NAD83

0102030405060

(km)

MAP PRODUCED BY

h2safety.ca

AREA OVERVIEW MAP

1:14,000,000

Facility

Gas Plant

Gas Pipeline

Discontinued Gas Pipeline

Oil Pipeline

Discontinued Oil Pipeline

HVP Pipeline

Discontinued HVP Pipeline

Water Pipeline

Major Highways_ALL

Railway

Waterbody

First Nations Reserve

Military Reserve

Protected Area

RCMP

Local Authority

AER Field Centre

Health Authority

EPZ

Other EPZ